

**FORM OF APPLICATION FOR SEEKING
INFORMATION UNDER RIGHT TO
INFORMATION ACT 2005**

To,

Public information officer,
Central Pulp And Paper Research institute
Star paper mill Road ,Himmat Nagar Saharanpur-247001

- 1 Name of Applicant : Vikas Gupta
- 2 Address : D-105,Preet Vihar,
Delhi-92
- 3 Particular of information
- (i) Concerned department :Office of Director CPPRI
- (ii) Detail of information required :

Q1. Please provide action taken report on my E-Mail dt 07/09/2018(copy enclosed).

Q2. Please provide Copy of official Noting which was prepared on my email complaint dt 07/09/2018(copy enclosed).

Q3. From your records, please provide the name, designation, mobile number and email & office address of the Officer who is enquiring on my email complaint dt.07-09-2018.

4. I state that the information sought does not fall within the restrictions contained in section 8 of the Act and to the best of my knowledge it pertains to your office.
5. I am enclosing of Rs.10/- postal order No. 44f121067 as requisite fees under R.T.I. Act 2005.

Place: Delhi
Dated: 09-09-2018


Signature of Applicant

To

The Director

Central Pulp & Paper Research Institute

Star Paper Mill Road, Himmat Nagar,

Saharanpur - 247001, India confidential

07/09/2018 07/09/18

Sir

I would like to inform you that CPPRI reputation is at stake and the institute will be defamed as there is a paper mill M/s Ashoka Pulp & Paper (P) Ltd plot no.11 Ioni road site-II mohan nagar ghaziabad U.P 201007 which was shut for last five months from february 2018 till july 2018 by CPCB because they violated the closure notice which was served by the CPCB and ran there unit without there consent .There Boilers were also sealed due to non compliance .

The paper mill directors are bribing everyone and getting away with everything causing pollution by bypassing the effluent directly in the drain without treating the water .There ETP is also not working properly because they close it at night to save energy and are diluting it with freshwater. All there matter are with the Prime minister office and CPCB .They are still burning Plastic as fuel there boilers they are causing tremendous pollution already communicated to CPCB and UPPCB.

I would like to tell you that Dr Mishra visited the plant on the 01 September or 2nd september 2018 he visited the plant alone the directors wanted him to make a fake report of water mass balance and water audit they have bribed him heavily and his has personally visited the plant to make such report .I am also attaching the CPCB inspection letter how the directors manipulated the ETP and found bypassing there effluent in the drain .

So i request you to send a team to visit the plant and see the condition and check the samples in the observation of team not a single person like ^{Dr} MR Mishra who visited the plant on a holiday to make money . For his personal interest this man is polluting the environment with promoting the directors to do the same by helping them to create a false report WHICH WILL BE GENERATED BY CPPRI and will cause tremendous harm to the institute for its genuinity.I request you that this kind of activities should not be done and a false report generation will not be good for the institute and CPPRI should not make reports for such paper mills .

I request you to do the needful and a team should inspect the mill rather than an individual who is ready to make face reports.

Yours truly

Vikas Gupta

D-105 Preet Vihar Delhi --110092

October 20, 2017

RELATION UNDER SECTION 5 OF THE ENVIRONMENT PROTECTION ACT, 1986

WHEREAS the Central Government has notified the standards for discharge of effluents and emissions from various categories of industries under the Environment Protection Act, 1986 and the rules framed there under, and

WHEREAS by Ministry of Environment, Forest & Climate Change, Govt. of India (G.O. No. 15731/1 of 27.02.1986) has delegated powers vested under Section 5 of the Environment Protection Act, 1986 (EPA of 1986) to the Chairman Central Pollution Control Board (CPCB) to issue directions to any local or other authority for the violation of emission and effluent standards notified under the Environment Protection Rules, 1986 and other standards and norms, and

WHEREAS M/s. Ashoka Pulp & Paper Pvt. Ltd., Mohan Nagar, Ghazabad, MP (hereafter referred to as the Unit) is engaged in manufacturing of Kraft paper using wastepaper as raw material with an installed capacity 150 TPD, and

WHEREAS CPCB received a public complaint dated 14.09.2017, of Shri Jagannath, resident of Ramnagar, Ghazabad, MP, forwarded by MoEFCC vide mail dated 23.10.2017 regarding discharge of untreated wastewater by the Unit in Hindon River through bypass drain, and

WHEREAS the Unit was inspected by a team of officials from CPCB on October 26, 2017 to verify the compliance status and made the following observations:

The Unit is a waste paper based Kraft manufacturing mill with installed capacity of 150 TPD. During visit, the Unit was operational.

Before entering the industry, the Unit was found discharging untreated effluent through additional outlet (bypass drain) and sample was collected from this outlet by the team at the boundary wall of the Unit and analysis result showed pH-5.65 (norms-7.0-8.5), TSS-5261 mg/l (norms-50 mg/l), BOD-5799 mg/l (norms-30 mg/l), COD-14789 mg/l (norms-350 mg/l), TDS 20544 mg/l and found non-complying with the prescribed effluent discharge standards.

3. During the visit of Unit effluent sample from the bypass channel (within premises) going outside the mill was collected. Effluent sample analysis report showed pH-5.66 (norms-7.0-8.5), TSS-4631 mg/l (norms-50 mg/l), BOD-7135 mg/l (norms-30 mg/l), COD-13563 mg/l (norms-350 mg/l), TDS 28484 mg/l and violating standards prescribed under E(P) Rules, 1986.

4. ETP was found operational and sample collected from the outlet of showed pH-7.50 (norms-7.0-8.5), TSS-50 mg/l (norms-50 mg/l), BOD- mg/l (norms-30 mg/l), COD-371 mg/l (norms-350 mg/l), TDS-1712 mg/l

Shri. R.N Jindal,
Director (s), CP Division,
Ministry of Environment, Forest and Climate Change,
2nd Floor, Yavu Wing, IPB, Jorbagh Road,
New Delhi - 110003

**Subject: A reference against M/s Ashoka Pulp and Paper Pvt. Ltd., IMDL area,
Ghaziabad, UP - Regd.**

Sir,

This has reference to your office letter no Q-16016/186/2017-CPA dated 17.10.2017 on the above mentioned.

In this context, a team of CPCB visited the subject Unit M/s Ashoka Pulp & Paper Pvt. Ltd. and surrounding area on 26.10.2017 for compliance verification. Inspection report of the team and closure direction dated 20.11.2017 issued to M/s Ashoka Pulp & Paper Pvt. Ltd. based on our investigation are enclosed (Annexure-I&II).

This is for information please.

Yours faithfully

(P K Mishra)
AD & DN-IPC

Encl: As above



CONFIDENTIAL

vikas gupta <vikasjn74@gmail.com>
To: director.cppri@gmail.com

Fri, Sep 7, 2018 at 12:26 AM

To
The Director
Central Pulp & Paper Research Institute
Star Paper Mill Road, Himmat Nagar,
Saharanpur - 247001, India confidential

Sir

I would like to inform you that CPPRI reputation is at stake and the institute will be defamed as there is a paper mill M/s Ashoka Pulp & Paper (P) Ltd plot no.11 Joni road site-II mohan nagar ghaziabad U.P 201007 which was shut for last five months from february 2018 till july 2018 by CPCB because they violated the closure notice which was served by the CPCB and ran there unit without there consent . There Boilers were also sealed due to non compliance .

The paper mill directors are bribing everyone and getting away with everything causing pollution by bypassing the effluent directly in the drain without treating the water .There ETP is also not working properly because they close it at night to save energy and are diluting it with freshwater. All there matter are with the Prime minister office and CPCB .They are still burning Plastic as fuel there boilers they are causing tremendous pollution already communicated to CPCB and UPPCB.

I would like to tell you that Dr Mishra visited the plant on the 01 September or 2nd september 2018 he visited the plant alone the directors wanted him to make a fake report of water mass balance and water audit they have bribed him heavily and his has personally visited the plant to make such report .I am also attaching the CPCB inspection letter how the directors manipulated the ETP and found bypassing there effluent in the drain .


So I request you to send a team to visit the plant and see the condition and check the samples in the observation of team not a single person like MR Mishra who visited the plant on a holiday to make money . For his personal interest this man is polluting the environment with promoting the directors to do the same by helping them to create a false report WHICH WILL BE GENERATED BY CPPRI and will cause tremendous harm to the institute for its genuinity.I request you that this kind of activities should not be done and a false report generation will not be good for the institute and CPPRI should not make reports for such paper mills .

I request you to do the needful and a team should inspect the mill rather than an individual who is ready to make face reports.

Yours truly

Vikas Gupta
D-105 Preet Vihar Delhi - 110092

2 attachments



IMG_0269.JPG
2201K



IMG_0268.JPG
2312K